

Powered by Confident Cannabis 1 of 6

Loon Lab Extracts & Research LLC

Sample: 2102AIT0058.0109

Strain: MCT Tincture

Batch#:; Batch Size: g

Sample Received: 02/05/2021; Report Created: 02/26/2021

LL-2000-RR1

Ingestible, Tincture





0.147%

44.2 mg/container 1.5 mg/serving

Total THC

7.030%

2109.0 mg/container 70.3 mg/serving

Total CBD

7.792%

2337.5 mg/container 77.9 mg/serving

Total Cannabinoids

Cannabinoids Date Tested: 02/05/2021

Analytes	%	mg/g	Mass	mg/serving	LOQ
CBC	0.300	3.00	3.00	3.000	0.001
CBD	7.030	70.30	70.30	70.299	0.001
CBDa	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBDV	0.164	1.64	1.64	1.643	0.001
CBG	0.150	1.50	1.50	1.503	0.001
CBGa	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBN	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
Δ8-THC	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
Δ9-ΤΗС	0.147	1.47	1.47	1.472	0.001
THCa	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001

Total THC = THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation

Total Cannabinoids represents the sum of all cannabinoids in the table above Summary

Not Tested	Not Tested	Pass
Residual Solvents	Terpenes	Pesticides
Not Tested	Pass	Not Tested
Mycotoxins	Heavy Metals	Moisture

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com



Ben Gaboury Senior Analytical Chemist

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Adams Indepenent Testing using valid testing methodologies. Values reported relate only to the product tested and batched under the batch number identified above. Test results are valid for one year after the completion data. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing.



Powered by Confident Cannabis

Loon Lab Extracts & Research LLC

Sample: 2102AIT0058.0109

Strain: MCT Tincture

Batch#:; Batch Size: g

Sample Received: 02/05/2021; Report Created: 02/26/2021

LL-2000-RR1

Ingestible, Tincture



Microbials Pass

Date Tested: 02/24/2021

Analyte	Limit	Units	Status
	CFU/g	CFU/g	_
Aerobic Bacteria	10000	NR	NT
Bile-Tolerant Gram-Negative Bacteria	100	NR	NT
Coliforms	100	NR	NT
E. Coli	1	<loq< td=""><td>Pass</td></loq<>	Pass
Salmonella	1	<loq< td=""><td>Pass</td></loq<>	Pass
Yeast & Mold	1000	<loq< td=""><td>Pass</td></loq<>	Pass



Ben Gaboury Senior Analytical Chemist





Powered by Confident Cannabis

Loon Lab Extracts & Research LLC

Sample: 2102AIT0058.0109

Strain: MCT Tincture

Batch#:; Batch Size: g

Sample Received: 02/05/2021; Report Created: 02/26/2021


LL-2000-RR1

Ingestible, Tincture



Heavy Metals Pass

Date Tested: 02/05/2021





Method: ICPMS

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com

Ben Gaboury Senior Analytical Chemist Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Adams Indepenent Testing using valid testing methodologies. Values reported relate only to the product tested and batched under the batch number identified above. Test results are valid for one year after the completion data. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing.



Powered by Confident Cannabis

Loon Lab Extracts & Research LLC

Sample: 2102AIT0058.0109

Strain: MCT Tincture

Batch#:; Batch Size: g

Sample Received: 02/05/2021; Report Created: 02/26/2021

LL-2000-RR1

Ingestible, Tincture



Pesticides Pass

Date Tested: 02/08/2021

PPM	Analyte	LOQ	Limit	Mass	Status
Acephate 0.01 0.40 < LOQ		PPM	PPM	PPM	
Acequinocyl 0.01 2.00 < LOQ	Abamectin	0.01	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Acetamiprid 0.01 0.20 < LOQ	Acephate	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Aldicarb 0.01 0.40 < LOQ	Acequinocyl	0.01	2.00	<loq< td=""><td>Pass</td></loq<>	Pass
Azoxystrobin 0.01 0.20 <loq< td=""> F Bifenazate 0.01 0.20 <loq< td=""> F Bifenthrin 0.01 0.20 <loq< td=""> F Boscalid 0.01 0.40 <loq< td=""> F Carbaryl 0.01 0.20 <loq< td=""> F Carbofuran 0.01 0.20 <loq< td=""> F Chlorantraniliprole 0.01 0.20 <loq< td=""> F Chlorfenapyr 0.01 1.00 <loq< td=""> F Chlorpyrifos 0.01 0.20 <loq< td=""> F Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Ethoprophos 0.01</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Acetamiprid	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenazate 0.01 0.20 <loq< td=""> F Bifenthrin 0.01 0.20 <loq< td=""> F Boscalid 0.01 0.40 <loq< td=""> F Carbaryl 0.01 0.20 <loq< td=""> F Carbofuran 0.01 0.20 <loq< td=""> F Chlorantraniliprole 0.01 0.20 <loq< td=""> F Chlorfenapyr 0.01 1.00 <loq< td=""> F Chlorpyrifos 0.01 0.20 <loq< td=""> F Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 0.20 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etoxazole 0.01</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Aldicarb	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenthrin 0.01 0.20 <loq< td=""> F Boscalid 0.01 0.40 <loq< td=""> F Carbaryl 0.01 0.20 <loq< td=""> F Carbofuran 0.01 0.20 <loq< td=""> F Chlorantraniliprole 0.01 0.20 <loq< td=""> F Chlorfenapyr 0.01 1.00 <loq< td=""> F Chlorpyrifos 0.01 0.20 <loq< td=""> F Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Azoxystrobin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Boscalid	Bifenazate	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Carbaryl 0.01 0.20 <loq< td=""> F Carbofuran 0.01 0.20 <loq< td=""> F Chlorantraniliprole 0.01 0.20 <loq< td=""> F Chlorfenapyr 0.01 1.00 <loq< td=""> F Chlorpyrifos 0.01 0.20 <loq< td=""> F Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Bifenthrin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Carbofuran 0.01 0.20 <loq< td=""> F Chlorantraniliprole 0.01 0.20 <loq< td=""> F Chlorfenapyr 0.01 1.00 <loq< td=""> F Chlorpyrifos 0.01 0.20 <loq< td=""> F Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Boscalid	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorantraniliprole 0.01 0.20 <loq< td=""> F Chlorfenapyr 0.01 1.00 <loq< td=""> F Chlorpyrifos 0.01 0.20 <loq< td=""> F Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Carbaryl	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorfenapyr 0.01 1.00 <loq< td=""> F Chlorpyrifos 0.01 0.20 <loq< td=""> F Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F Daminozide 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Carbofuran	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorpyrifos 0.01 0.20 <loq< td=""> F Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F Daminozide 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Chlorantraniliprole	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Clofentezine 0.01 0.20 <loq< td=""> F Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F Daminozide 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Chlorfenapyr	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Cyfluthrin 0.01 1.00 <loq< td=""> F Cypermethrin 0.01 1.00 <loq< td=""> F Daminozide 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Chlorpyrifos	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Cypermethrin 0.01 1.00 <loq< td=""> F Daminozide 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Clofentezine	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Daminozide 0.01 1.00 <loq< td=""> F DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<></loq<>	Cyfluthrin	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
DDVP 0.01 1.00 <loq< td=""> F Diazinon 0.01 0.20 <loq< td=""> F Dimethoate 0.01 0.20 <loq< td=""> F Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<></loq<></loq<></loq<>	Cypermethrin	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Diazinon 0.01 0.20 < LOQ F Dimethoate 0.01 0.20 < LOQ	Daminozide	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Dimethoate 0.01 0.20 < LOQ F Ethoprophos 0.01 0.20 < LOQ	DDVP	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Ethoprophos 0.01 0.20 <loq< td=""> F Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<></loq<>	Diazinon	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Etofenprox 0.01 0.40 <loq< td=""> F Etoxazole 0.01 0.20 <loq< td=""> F</loq<></loq<>	Dimethoate	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Etoxazole 0.01 0.20 <loq f<="" td=""><td>Ethoprophos</td><td>0.01</td><td>0.20</td><td><loq< td=""><td>Pass</td></loq<></td></loq>	Ethoprophos	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
	Etofenprox	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Fenoxycarb 0.01 0.20 <loq< td=""><td>Etoxazole</td><td>0.01</td><td>0.20</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Etoxazole	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
	Fenoxycarb	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass

Methods: LCMS and GCMS

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com



Ben Gaboury
Senior Analytical Chemist





Powered by Confident Cannabis

Loon Lab Extracts & Research LLC

Sample: 2102AIT0058.0109

Strain: MCT Tincture

Batch#:; Batch Size: g

Sample Received: 02/05/2021; Report Created: 02/26/2021

LL-2000-RR1

Ingestible, Tincture



Pesticides

Date Tested: 02/08/2021

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Fenpyroximate	0.01	0.40	<loq< th=""><th>Pass</th></loq<>	Pass
Fipronil	0.01	0.40	<loq< th=""><th>Pass</th></loq<>	Pass
Flonicamid	0.01	1.00	<loq< th=""><th>Pass</th></loq<>	Pass
Fludioxonil	0.01	0.40	<loq< th=""><th>Pass</th></loq<>	Pass
Hexythiazox	0.01	1.00	<loq< th=""><th>Pass</th></loq<>	Pass
lmazalil	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Imidacloprid	0.01	0.40	<loq< th=""><th>Pass</th></loq<>	Pass
Kresoxim Methyl	0.01	0.40	<loq< th=""><th>Pass</th></loq<>	Pass
Malathion	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Metalaxyl	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Methiocarb	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Methomyl	0.01	0.40	<loq< th=""><th>Pass</th></loq<>	Pass
Methyl Parathion	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
MGK-264	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Myclobutanil	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Naled	0.01	0.50	<loq< th=""><th>Pass</th></loq<>	Pass
Oxamyl	0.01	1.00	<loq< th=""><th>Pass</th></loq<>	Pass
Paclobutrazol	0.01	0.40	<loq< th=""><th>Pass</th></loq<>	Pass
Permethrins	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Phosmet	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Piperonyl Butoxide	0.01	2.00	<loq< th=""><th>Pass</th></loq<>	Pass
Prallethrin	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Propiconazole	0.01	0.40	<loq< th=""><th>Pass</th></loq<>	Pass
Propoxur	0.01	0.20	<loq< th=""><th>Pass</th></loq<>	Pass
Pyrethrins	0.01	1.00	<loq< th=""><th>Pass</th></loq<>	Pass

Methods: LCMS and GCMS

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com



Ben Gaboury

Senior Analytical Chemist





Powered by Confident Cannabis 6 of 6

Loon Lab Extracts & Research LLC

Sample: 2102AIT0058.0109

Strain: MCT Tincture

Batch#:; Batch Size: g

Sample Received: 02/05/2021; Report Created: 02/26/2021


LL-2000-RR1

Ingestible, Tincture



Pesticides Pass

Date Tested: 02/08/2021



Methods: LCMS and GCMS

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com



Ben Gaboury Senior Analytical Chemist

